

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 16th February 1939, published under Article 141 of the Articles of Association.

LIABILITIES			ASSETS		
		Rs.			Rs.
To Capital Receipts	20,00,000		By Cash in hand and at Bankers ..	14,97,449	
„ Reserve Fund	26,50,000		„ Loans and Cash Credit Accounts ..	1,89,29,143	
„ Public and other Deposits ..	2,65,53,179		„ Bills discounted and purchased ..	9,73,335	
„ Sundries	1,58,350		„ Investments	90,98,323	
			„ Balance at Agencies		
			„ Dead Stock	7,87,189	
			„ Sundries	76,090	
Total	3,13,61,529				
(Annas and pies omitted.)					
				Rs.	3,13,61,529

BANGALORE,
Dated 20th February 1939.

F. L. PERADON,
Manager.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 21638-75, dated 14th February 1939.

To

The Firms dealing in Oil Engine Pumping Sets.

Enquiry No. 3299.

OIL ENGINE PUMPING SET FOR HANGALA WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Gundlupet Out Agency, Mysore State Railway, and the earliest time of delivery for an Oil Engine Pumping Set of the following specification :—

Specifications for a Power Driven Pumping Unit required.

Pump.—The pump is to be either of the plunger or centrifugal type and be capable of lifting 1,000 gallons an hour against a total head of 165' from all causes.

The supply is to be drawn from a well 32' deep and the delivery head is 133'. Centrifugal pumps of the injector type that can work with a suction lift of 32' will be preferred and may be quoted for alternatively.

The pump should be of the best type and should be supplied with a foot-valve of ample size besides a delivery, a non-return valve and a pressure gauge. The accessories should be quoted for separately.

Engine.—This pump will have to be driven by an engine that can develop enough power at an altitude of 2,500' and at a maximum temperature of 100°F.

The engine should run on light diesel oil ordinarily available in the market.

The engine shaft should, if necessary, be extended on one side to take in the driving pulley.

The unit should be supplied with necessary pulleys and a complete set of sparer.

The specifications should indicate the fuel consumption on full and half loads, and a test certificate should accompany the supply.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Oil Engine Pumping Set for Hangala Water Supply" with the above Enquiry Number.

This enquiry will be closed on the 16th March 1939.

No. S. P. C. 21777-805, dated 15th February, 1939.

To

The Firms dealing in Aluminium and Copper Wires.

Enquiry No. 3301.

ALUMINIUM CABLE AND ACCESSORIES OR COPPER WIRE REQUIRED FOR ELECTRIFICATION
OF CHITALDRUG AND TIPTUR.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials:—

1. 266 Miles Bare aluminium cable, steel reinforced No. 2 B. & S. consisting of 6 strands of hard-drawn aluminium around a central core of galvanised steel, the diameter of each strand being 0.1052" and the overall diameter of cable being 0.316". The complete cable shall have a cross-sectional area (aluminium) of 66,371 circular mils and a conductivity equivalent to No. 4 B. & S. Copper. The cable shall have an ultimate strength of not less than 2,780 lbs. and a resistance at 25° C. of not more than 1.40 ohms per mile.

- 1.A. 266 Miles—Hard drawn copper wire No. 4 B. & S. consisting of 7 strands of hard drawn copper, the complete cable to have a cross sectional area of 41,740 circular mils and with an ultimate tensile strength of not less than 1,970 lbs. and a resistance of not more than 1.40 ohms per mile at 25° C.

The successful tenderer will be required to test before shipment samples of the cable supplied for Lapping, ultimate strength, Elastic limit and resistivity, etc., in accordance with the British Standard Specification No. 125/1930.

2. 1000. Aluminium Oval Twisting jointing sleeves for the above No. 2 A.C.S.R. cable.
3. 150 Parallel groove clamps 3 bolts type for the above No. 2 A.C.S.R. cable to connect aluminium to aluminium.
4. 50—Parallel groove clamps 3 bolts type same as above but to connect No. 2 A.C.S.R. cable, to No. 6 B. & S. copper wire.

The cables will be required to be shipped in the longest manufacture lengths on strong non-returnable wooden reels suitably protected to withstand all damage to the cable during shipment and overland transport.

Complete particulars of all materials covered by this enquiry shall be furnished by the tenderers. They shall also fill in the attached schedule when submitting their tenders.

The successful tenderer will be required to test before shipment samples of the A.C.S.R. cable supplied for ultimate strength, elastic limit, elongation, resistivity, galvanizing, etc., in accordance with the British Standard Specification No. 215/1934.

The prices to be quoted should be for delivery c.i.f., Madras.

This enquiry will close on 3rd April 1939.

SCHEDULE OF PARTICULARS TO BE SUPPLIED BY TENDERING FIRMS.

Copper Wire:—

1. Overall diameter of cable.
2. Number and Diameter of each strand.
3. Weight per mile of complete cable.
4. Ultimate strength of cable.
5. Elastic limit of cable.
6. Resistance per mile of complete cable at 25° C. Ohms.
7. Do do at 60° C. Ohms.
8. Length of cable in feet on each reel.
9. Net weight of cable on each reel.
10. Diameter and length of each reel.
11. Gross weight of each reel ready for shipment.

A.C.S.R.

1. Overall diameter of cable.
2. Number and diameter of steel strand.
3. Number and diameter of aluminium strands.
4. Weight per mile of complete cable.
5. Tensile strength of steel core, lbs.
6. Elastic limit of steel core, lbs.
7. Ultimate strength of complete cable, lbs.
8. Elastic limit of complete cable, lbs.
9. Percentage elongation in 10" of aluminium.
10. Percentage elongation in 10" of steel.
11. Resistance per mile of complete cable 25°C. Ohms.
12. Do do 50°C.
13. Length of cable in feet on each reel.
14. Net weight of cable on each reel.
15. Diameter and length of each reel.
16. Gross weight of each reel ready for shipment.
17. Process used for galvanizing the steel core.

No. S. P. C. 21676-85, dated 16th February 1939.

To

The Firms dealing in Laboratory Materials.

Enquiry No. 3300.

BACTERIOLOGICAL APPARATUS REQUIRED FOR THE SERUM INSTITUTE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bacteriological Apparatus" with the above enquiry Number.

This enquiry will be closed on the 13th March 1939.

SCHEDULE.

Bacteriological Apparatus.

Schedule should be returned with the prices duly filled in.

Reference to Catalogue of Messrs. Baird and Tatlock, London, Ltd., England.

Sl. No.	Description of articles	Cat. No.	Quantity required	Rate		Total Cost
				F.O.R.	Bangalore	
				Rs. a. p.	Rs.	
1	Filter Paper, Agar, Agar, 50 cm.	Sc. 4530 P. 486	200			
2	Flasks, boiling pyrex-flat bottom, capacity:— Do 1,000 cc.		6 doz.			
	Do 2,000 cc.		6 "			
3	Test tubes—Pyrex with rims 6 x 4 1/2	Sc. 6296 P. 611	12 gross			
	Do 6 x 3 1/2	Do	12 "			
4	Microscope slides 3 x 1	H.P. 19 P. 1808	50 "			
5	Rubber tubing No. 2	Sc. 6520 P. 619	50 yds.			
	Do No. 3	Do	20 "			
	Do No. 4	Do	20 "			
	Do No. 7	Do	20 "			
6	Glass ampoules, amber glass 2 c.c.	Sc. 3783	20 gross			
	Do 5 c.c.		20 "			
	Do 10 c.c.		20 "			
7	India rubber teats No. 2	H.P. 179	1 1/4 "			
	Do No. 5	Do	1 1/4 "			
8	Hypodermic syringes, Record 1 c.c.	B.P. 76 P. 1875	12			
	Do 2 c.c.	Do	12			
	Do 5 c.c.	Do	12			
9	Carbolic acid, pure	Page 24	250 lbs. in 5 lb. tins.			
10	M. thyl-blue		20 grams			
11	M. thyl-violet		20 "			
12	Paraffin to melt at 52°C.		5 lbs.			
	Do at 54°C.		5 "			
	Do at 58°C.		5 "			

No. S. P. C. 22132-40, dated 20th February 1939.

To

The Furniture Contractors.

Enquiry No. 3304.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at Nandi Hill Station.

Your quotation should be subject to the conditions of contract noted below and should reach this office by 6th March 1939.

The quotations should be superscribed "Quotations for furniture required for the Nandi Hills" with the above enquiry Number.

Schedule of Articles.

Serial No.	Description of articles	No. required	Price quoted F. O. R. Nandi Hill Station
1	Teakwood <i>Meat Safe</i> , 3'H, 4'L, 2'W, with two shutters having wire-gauze and three compartments complete with good hasps and staples. Thickness of bottom and top planks $\frac{3}{4}$ ". Wire-gauze around. Bottom legs 6"x2"x2" plain	3	
2	Teakwood <i>Chest of Drawers</i> , 4'H, 3'W, 2'D, with four compartments, top one to be half-shelves 4" brass handles complete. Thickness of planks $\frac{3}{4}$ ".	2	
3	Teakwood <i>Hall Stand</i> with mirror 12"x10" Stand with hat and coat good hooks complete and glove box. Size 6'x2 $\frac{1}{2}$ '	2	
4	Teakwood <i>Folding Chairs</i> of Venista pattern— (i) With teakwood for bottom (ii) With plywood for bottom	24 24	

Conditions of contract for the supply of articles of furniture.

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teak wood, free from all defects, such as, knots, bands, white and sap wood, etc., All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an Officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the Department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved Firms.

No. S. P. C. 22149-58, dated 21st February 1939.

To

The Firms dealing in Apparatus and Chemicals.

Enquiry No. 3306.

APPARATUS AND CHEMICALS REQUIRED.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Apparatus and Chemicals required for the Agricultural School, Hebbal" with the above enquiry Number.

This enquiry will be closed on the 16th March 1939.

Catalogue.—Messrs. Adair Dutt & Co., Ltd.,

Schedule.

Serial No.	Description and Specification of articles	Catalogue No.	No. required	Rate F. O. R. Bangalore	Total Cost
1	Kipp's Apparatus 500 cc.	915	One		
	Do 250 cc.	"	One		
2	Gas holder (Berzelius pattern) 4 litres capacity	941	One		
3	Burettes (with lateral Mohr pattern stop cock) 50 cc. capacity	183	4		
4	Pipettes (with two marks) 5 cc.	1,705	Two each		
	Do 10 cc.				
	Do 20 cc.				
	Do 25 cc.				
	Do 50 cc.				
5	Spirit lamps—250 cc. capacity	8 A	12		
6	Retorts with ground stoppers (Jena Resistant glass) 500 cc. capacity	1,980	6		
7	Measuring Flasks (with two marks)—	743	2 each		
	50 cc.				
	100 cc.				
	250 cc.				
	500 cc.				
	1,000 cc.				
8	Thistle Funnels 30 cms.	851	6		
9	Drop Funnels 50 cc.	842	3		
10	Separating Funnels—150 cc.	826	1		
	250 cc.	826	2		
	(List of labels for Reagent bottles No. 110.)				
	Reagent Bottle (with deeply sandblasted badge and clear letters) 250 cc.	110	Two sets of ten each		
	500 cc.	110	do		

Large Bottles of 500 cc. capacity.

- (i) Nitric acid—strong.
- (ii) Nitric acid—dilute.
- (iii) Hydrochloric acid—strong
- (iv) Hydrochloric acid dilute
- (v) Sulphuric acid—strong
- (vi) Sulphuric acid—dilute
- (vii) Ammonia
- (viii) Acetic acid
- (ix) Potassium Hydrate
- (x) Sodium Hydrate

Small bottles of 250 cc. capacity.

- (xi) Silver Nitrate
- (xii) Ammonium Molybdate
- (xiii) Barium Chloride
- (xiv) Potassium chromate
- (xv) Potassium cyanide
- (xvi) Ammonium sulphide (Yellow)
- (xvii) Potassium Ferricyanide
- (xviii) Potassium Ferrocyanide
- (xix) Ammonium Oxalate
- (xx) Potassium-bi-chromate

Chemicals.—Merck's Catalogue—E. Merck—Darmstadt.—1939.

Serial No.	Description	Cat. No.	Quantity	Rate F. O. R. Bangalore
1	Sulphuric acid (1.84)	706	5 lbs.	
2	Hydrochloric acid	314	5 "	
3	Nitric acid	450	5 "	
4	Acetic acid	52	1 "	
5	Oxalic acid	A 490	1 "	
6	Formic acid	260	1 "	
7	Methyl alcohol	6,007	1 "	
8	Amyl Alcohol	978	1 "	
9	Glycerine	4,091	1 "	
10	Ether (Sulphuric)	925	5 "	
11	Glucose (pure powder)	8,340	1+1 "	
12	Levulose	5,320	4 ozs.	
13	Ammonia	5,429	7 lbs.	
14	Lactic acid	366	1 lb.	
15	Palmitic acid	510	4 ozs.	
16	Tartaric acid	800	1 lb.	
17	Maltose—commercial	5,911	5 lbs.	
18	Milk sugar powder	7,656	1 lb.	
19	Sodium Hydroxide cakes	6,477	5 lbs.	

No. S. P. C. 22215-34, dated 21st February 1939.

To

The Firms dealing in Pipes.

Enquiry No. 3307.

PUMP FOR KOOLUGURKI VILLAGE.

DEAR SIR-GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pump for Koolugurki Village" with the above enquiry Number.

This enquiry will be closed on the 6th March 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
1	Deep well Pump—Hand-operated, of capacity—150 gallons per hour against a total head of 150 feet. Complete with all the accessories except the rods and pipes	One	Srinivaspur, Mysore State Railway	
2	Guide couplings	18		

N.B.—Quotations for the supply of materials immediately from stock will be preferred.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 22067, dated 15—16th February 1939.

NOTICE.

Enquiry No. 3273.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of three indoor constant current transformers required for Electrical Department up to 30th March 1939.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps or crossed postal orders will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.